

# Securapark®

## Parking Space Protectors



Highly-visible [800mm high] PVC Securaman

DIY installation & easy operation

Stops unauthorised parking



**Leda-Vannaclick**  
Perimeter Security Solutions

# Securapark® Parking Space Protectors

## What does Securapark® do?

Securapark® protects your car space by establishing a physical barrier. All the signage in the world will not stop some people from stealing your car space so the answer is to physically exclude them. Whether you park in a private or public car park, Securapark® has the answers to your parking problems.



## Automatic or Manual?


Securapark® is available in automatic or manual models.

The standard Automatic Securapark® includes a remote control so that you do not have to get out of your vehicle. Simply push the button for up and down operation. It's perfect for high traffic areas where parking is a constant battle.

The Manual Securapark® looks and operates exactly the same as the Automatic, except that it is lowered and raised by hand. A highly visible post version (Guardzman) is also available. Manual Securapark® is a low cost alternative to the Automatic in parking areas where problems are less frequent.

## PVC replaces steel


The flexible PVC 'Securaman' is less likely to be damaged (or inflict damage) in the event of accidental impact. Furthermore, it can be quickly and economically replaced if damaged. 'Securaman' is still available in mild steel as an option, catering for vandal-prone applications. (Refer Accessories + Options on back page.)



## Securapark® Manual

### Hand operated & lockable

The Manual Securapark® provides the same physical barrier for your car space as the Automatic. It is operated by hand and simply locks into place with a padlock that is also included. The unit is light and easy to operate with just one hand.



## Securapost® Manual Alternatives



### Guardzman (FDB65B)

Guardzman fold-down bollard is an alternative to the Manual Securapark®. It stands 900mm high when raised making it extremely visible to other drivers when manoeuvring. A traditional and durable design that is extremely effective.



### Sentinel (SP90R)

Sentinel offers parking space protection with the added benefit of vehicle security when installed at the front of the car space.

Security is the main application of Securapost® and many of our clients rest easy

in knowing that their car's security is enhanced.

Sentinel installation requires core drilling so contact our offices for further information or download the Securapost® brochure from our website [www.l-v.com.au](http://www.l-v.com.au).



# Securapark® Parking Space Protectors


## **Securapark®** Automatic

### Operation

The standard Automatic Securapark® is operated via a remote control so that you will never have to leave your vehicle.


### Durable

Thousands of Securapark® units have now been installed, and are designed to be run over with minimal risk of damage. Electronics are encased in resin to prevent flooding damage and protected by a tough mild steel key-operated casing.



### Remote control options

A standard Automatic Securapark® comes with one remote control unit which has a 20-30 metre range. Multiple remote controls are available and up to 4 Securapark® units can be linked to the one remote control, which caters for situations where many people will be using a common parking area at different times.



### Car Park Integration



Larger parking areas and public car parks utilise Securapark® by incorporating it into existing access control systems. Securapark® provides the flexibility to solve a number of problems in and around traditional parking areas such as:

- Hastening car park entry and exit.
  - Separating permanent parkers from queuing.
  - Preventing casual parkers from using reserved areas.
- There are a number of options for installation and ongoing service throughout the region so please contact our offices to discuss your requirements.

Leda-Vannaclip will assist in designing a system to suit your site or project.

### Power Options


**Battery.** The Automatic Securapark® can be powered by a small 12V 7AH battery which needs re-charging every 3-4 months (about 600-800 movements). Prior to the unit's battery running low, Leda-Vannaclip can re-charge it for you on site, alternatively, you can charge the battery yourself using a Securapark® battery charger (refer Accessories + Options on back page). The keyring remote control's battery will operate for many years.

**Hard Wired.** A 24V hard-wired option is available to eliminate the need for battery charging. It does however require running power cabling from the 24V transformer to your Securapark®. A transformer to operate four Securapark® units is also available.

# Securapark® Parking Space Protectors

## Positioning

Securapark® units should be installed in the middle of the car space and as far as possible away from the aisle to avoid accidental damage by other vehicles.



Securapost® (SP90R) doubles as a security post which should be locked into the ground behind the car when parked. For further information, refer to the Securapost® brochure.

## DIY Installation

All Securapark® units and the Guardsman come with everything needed to install – including masonry anchors and masonry drill bit.





To install, all you will need is an electric drill (preferably with a hammer setting) and a spanner to tighten the masonry anchors. A small concrete footing (500mm x 500mm x 100mm deep) is recommended where bitumen and other soft surfaces are found. Full installation instructions are included with your Securapark®.

Installation of locking and removable Securapost® bollards is normally done by core drilling. For further information, refer to the Securapost® brochure.

## Maintenance

The frequency of servicing is dependent upon the amount you operate your Securapark®. Leda-Vannaclip can tailor a service agreement to meet your usage.



| Product Code                  | Securapark® Auto SPAB5                                       | Securapark® Manual SPM70                                     | Guardsman FDB90B / SFDB90B†                               | Sentinel SP90R                            |
|-------------------------------|--------------------------------------------------------------|--------------------------------------------------------------|-----------------------------------------------------------|-------------------------------------------|
| Material                      | PVC Securaman®, mild steel base<br>* Steel options available | PVC Securaman®, mild steel base<br>* Steel options available | 65NB (76.1 OD) x 3.6mm<br>MD Gal / † Stainless Steel Pipe | 80NB (88.9 OD) x 5.9mm<br>Ex HD Gal Pipe  |
| Finish                        | Yellow PVC<br>Powder coat yellow base                        | Yellow PVC<br>Powder coat yellow base                        | Powder coat, range colours /<br>† Stainless Steel         | Powder coat<br>Range of colours available |
| Power                         | 12V battery / 24v hard wired                                 | Manual                                                       | Manual                                                    | Manual                                    |
| Remote Control                | Yes                                                          | No                                                           | No                                                        | No                                        |
| Height / flat                 | 800mm / 90mm                                                 | 800mm / 50mm                                                 | 1000mm / 100mm                                            | 900mm / (Removable)                       |
| Weight                        | 12.5kg                                                       | 10kg                                                         | 15kg                                                      | 15kg                                      |
| Packaging                     | 800 x 400 x 150mm                                            | 840 x 380 x 60mm                                             | 1100 x 200 x 200mm                                        | 1100 x 100 x 100mm                        |
| Parking space security        | Yes                                                          | Yes                                                          | Yes                                                       | Yes                                       |
| Vehicle security              | No                                                           | No                                                           | No                                                        | Yes                                       |
| Installation in concrete      | Masonry anchors                                              | Masonry anchors                                              | Masonry anchors                                           | Core drilling                             |
| Installation position         | Under car                                                    | Under car                                                    | Under car                                                 | Behind car                                |
| Accessories + Options         | Product Code                                                 | Product Code                                                 | Product Code                                              | Product Code                              |
| Steel Securaman / Rectangular | Add <b>S / R</b> to Product Code                             | Add <b>S / R</b> to Product Code                             |                                                           |                                           |
| Remote Control / Transmitter  | <b>SPPT / RCT</b>                                            |                                                              |                                                           |                                           |
| 12V Battery                   | <b>SP12V</b>                                                 |                                                              |                                                           |                                           |
| 12V / 24V DC Receiver         | <b>SP12R / SP24R / SP1224R</b>                               |                                                              |                                                           |                                           |
| Battery Charger               | <b>SPBC</b>                                                  |                                                              |                                                           |                                           |
| Linear Actuator               | <b>SPLA</b>                                                  |                                                              |                                                           |                                           |
| Transformer (suit 4)          | <b>SPTF</b>                                                  |                                                              |                                                           |                                           |
| Extension Wings               | <b>SPEXT (900mm)</b>                                         | <b>SPEXT (900mm)</b>                                         | <b>S45W (1000mm)</b>                                      | <b>S45W (1000mm)</b>                      |
| PVC Securaman Replacement     | <b>SPPVC</b>                                                 | <b>SPPVC</b>                                                 |                                                           |                                           |
| Steel Securaman Replacement   | <b>SPS</b>                                                   | <b>SPS</b>                                                   |                                                           |                                           |
| Steel Rectangle Replacement   | <b>SPR</b>                                                   | <b>SPR</b>                                                   |                                                           |                                           |
| Reflective Tape               | <b>RTV</b>                                                   | <b>RTV</b>                                                   | <b>RTV</b>                                                | <b>RTV</b>                                |
| Name plate                    | Available                                                    | Available                                                    | Available                                                 |                                           |



www.l-v.com.au

email lvsales@l-v.com.au

phone 1300 780 450

**NSW Head Office**  
3 / 43-51 College Street  
Gladesville NSW 2111  
Phone +61 2 9817 4799  
Fax +61 2 9817 8560

**VIC**  
18-20 Macaulay Street  
Williamstown Vic 3016  
Phone +61 3 9397 3233  
Fax +61 3 9397 3244

**QLD**  
2 / 387 Lytton Road  
Morningside Qld 4170  
Phone +61 7 3399 5633  
Fax +61 7 3399 5688

**SA**  
10 Bennet Avenue  
Melrose Park SA 5039  
Phone +61 8 8374 3266  
Fax +61 8 8374 3299

Distributed by ▼

Leda-Vannaclip Pty Ltd ABN 23 067 258 235

Australasian distributors and resellers in Western Australia, Northern Territory, north Queensland, Tasmania and New Zealand. International distributors in Europe, the Middle East, Asia and North America.